

**Product name:** EM-Tec STC39 Acetone solvent / thinner / cleaner  
**Document Nr.:** SDS0015001160-01

**Date:** January 11th 2022  
**Version:** 2.0

## Section 1: Identification of the substance or mixture and the company

### 1.1. Product Identifier

EM-Tec STC39 Acetone solvent / thinner / cleaner

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Diluting, removing and cleaning of EM-Tec solvent based silver, nickel and carbon paint / cement

### 1.3. Details of the supplier of the Safety Data Sheet

Micro to Nano  
Tappersweg 91  
2031ET Haarlem  
Netherlands  
Tel: +31(0)85-2013155  
E: info@microtonano.com

### 1.4 Emergency telephone number

112 (NLD) or your national emergency telephone number for chemical spills, leaks, fires, exposures or accidents

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

<b>Physical:</b>	Flammable liquid, category 2
<b>Health:</b>	Eye irritation, category 2A May cause drowsiness or dizziness
<b>Environment:</b>	Not classified
<b>Other hazards:</b>	Not classified

### Classification according to Regulation EC Nr. 1272/2008

	F: HIGHLY FLAMMABLE
	Xi: Irritant
<b>Health:</b>	R36: Irritating to eyes R67: Vapours may cause drowsiness and dizziness
<b>Physical</b>	R11: Highly flammable
<b>Environment:</b>	Not classified



**Micro to Nano**

Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E info@microtonano.com  
I www.microtonano.com

# Safety Data Sheet

Regulation EC Nr. 1907/2006 Art.31

**Product name:** EM-Tec STC39 Acetone solvent / thinner / cleaner  
**Document Nr.:** SDS0015001160-01

**Date:** January 11th 2022  
**Version:** 2.0

**Other hazards:** Not classified

## 2.2 Labeling elements

### Labelling accordance to Regulation EC Nr. 1272/2008



**Hazard pictogramm(s):**

**Signal word:** Danger

**Hazard statement(s):**  
H225: Highly flammable liquid and vapour  
H319: Causes serious eye irritation  
H336: May cause drowsiness or dizziness

**Precautionary statement(s)**

**Prevention:**  
P102: Keep out of reach of children  
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P233: Keep container tightly closed  
P241: Use explosion proof electrical/ventilating/lighting/intrinsically safe equipment  
P242: Use only non-sparking tools  
P243: Take precautions against static discharge  
P261: Avoid breathing mist/vapours/spray  
P270: Do not eat, drink or smoke when using this product  
P 271: Use outdoors or in well ventilated area (fume hood)  
P280: Wear protective gloves/protective clothing/eye protection/face protection

**Response:**  
P331: No NOT induce vomiting  
P312: Call a poison center/doctor/physician/first aider if you feel unwell  
P370+378: In case of fire: Use dry chemical powder, alcohol-resistant foam or carbon dioxide (CO<sub>2</sub>) for extinction  
P305+P351+P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if easy to do. Continue rinsing.  
P337+P313: If eye irritation persists: Get medical attention  
P303+P361+P353: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
P304+P340: If inhaled: Remove person to fresh air and keep comfortable for breathing



**Micro to Nano**

Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)

# Safety Data Sheet

Regulation EC Nr. 1907/2006 Art.31

**Product name:** EM-Tec STC39 Acetone solvent / thinner / cleaner  
**Document Nr.:** SDS0015001160-01

**Date:** January 11th 2022  
**Version:** 2.0

**Storage:** P403+P235: Store in a well-ventilated place. Keep cool  
P405: Store locked up  
**Disposal:** P501: Dispose of contents/container in accordance with local regulations  
**Supplemental hazard info:** None

## 2.3 Other hazards

None

## Section 3: Composition / information on components

### 3.1. Substances

1. CAS No 2. EC No 3. Index No 4. REACH No	% (weight)	Name	Classification according to directive 67/548/EEC [DSD]	Classification according to regulation Nr 1272/2008 [CLP]
67-64-1 200-662-2 606-001-00-8 01-2119471330-49-xxxx	100	acetone	R11R36R66R67	Flam. Liq. 2, Eye Irr. 2A, STOT SE 3; H225, H319, H336, EUH066

(\* Explanation notes: see section 16)

### 3.2 Mixtures

Not applicable

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Contact with eyes:** Rinse cautiously with water for several minutes. If possible, remove contact lenses. Continue rinsing.  
Seek medical attention if irritation persists.

**Contact with skin:** Wash with water and soap.  
Seek medical attention if irritation persists.

**Inhalation:** Fresh air, keep warm and at rest.  
Seek medical attention if ill effects occur

**Ingestion:** If swallowed, do not induce vomiting  
Seek immediate medical advice  
If vomiting appears imminent or occurs hold patient's head down, lower than their hips to help avoid possible aspiration of vomitus.



**Micro to Nano**

Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)

**Product name:** EM-Tec STC39 Acetone solvent / thinner / cleaner  
**Document Nr.:** SDS0015001160-01

**Date:** January 11th 2022  
**Version:** 2.0

Never give liquid to a person with reduced awareness  
Give water to rinse out mouth, then provide water slowly as much as casually can comfortably drink  
Avoid giving milk or oils  
Avoid giving alcohol

## 4.2. Important symptoms and effects, either immediate or delayed

**Inhalation:** Excessive inhalation of solvent vapours may give rise to nausea, blurred vision, fatigue, headaches and dizziness  
**Ingestion:** May cause respiratory and digestive tract irritation  
Symptoms: sore throat, abdominal pain, nausea, vomiting  
**Skin contact:** Continuous exposure: Dry skin. Cracking of skin  
**Eye contact:** Irritating to eyes  
Symptoms: redness and pain, impaired vision

## 4.3. Indication of any immediate medical attention and special treatment

**General advice:** If you feel unwell, seek medical advice; show product label if possible  
If symptoms persist, always call a doctor

## Section 5: Firefighting Measures

### 5.1. Extinguishing media

Alcohol resistant foam. Water spray. Polyvalent foam. BC powder. Carbon dioxide.  
Do not use water jet.

### 5.2 Special hazards arising from the substance or mixture

Direct fire hazard. Highly flammable. Gas / vapour flammable with air within explosion limits.  
Indirect fire hazard. May be ignited by sparks. Gas / vapour spreads to floor level: ignition hazard.  
Direct explosion hazard  
Indirect explosion hazard  
Upon combustion CO and CO<sub>2</sub> are formed. Violent to explosive reaction with many compounds.  
Keep away from strong oxidisers.

### 5.3 Advice to firefighters

Fight fire from a safe distance, with adequate cover  
Do not move the load if exposed to heat.  
In case of fire; do not breathe fumes  
Wear self-contained breathing apparatus for fire fighting



**Micro to Nano**

Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)

**Product name:** EM-Tec STC39 Acetone solvent / thinner / cleaner  
**Document Nr.:** SDS0015001160-01

**Date:** January 11th 2022  
**Version:** 2.0

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources  
Ensure adequate ventilation  
Wear suitable protective clothing including eye/face protection

### 6.2 Environmental precautions

Avoid release to the environment  
Do not allow to enter public sewers and waterways

### 6.3 Methods and material for containment and clean up

Absorb spillage in suitable inert material  
Clean up spills immediately  
Avoid breathing vapours  
Control personal contact with the substance, by using protective equipment  
Collect spillage, absorbed spillage and wipes in a flammable waste container  
Wash spill area with soap and water to remove last traces of residue

### 6.4 Reference to other sections

For further information see section 8

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

Keep away from sources of ignition  
Take precautions against static discharges  
Equipment should be grounded  
Use explosion proof electrical/ventilating/lighting/equipment  
Only use non-sparking tools  
Do not breathe aerosols or vapours  
Ensure adequate ventilation  
Avoid contact with skin and eyes  
Wash thoroughly after use  
Wear protective gloves/protective clothing/eye protection/face protection  
Have eyewash bottles available



**Micro to Nano**

Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)

**Product name:** EM-Tec STC39 Acetone solvent / thinner / cleaner  
**Document Nr.:** SDS0015001160-01

**Date:** January 11th 2022  
**Version:** 2.0

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed, in a cool, well ventilated place  
Keep away from ignition sources  
Store away from oxidising agents  
Keep cool  
Keep out of reach of children

## 7.3 Specific end uses(s)

Solvent / thinner / cleaner for EM-Tec solvent based silver / nickel / carbon paint / cement /paste.

## Section 8: Exposure control and personal protection

### 8.1. Control parameters

#### Exposure limits

#### Occupational exposure limits (OEL)

Ingredient	Material Name	Source	TWA	STEL	Peak	Notes
acetone	Acetone	UK	1210mg/m3	3620mg/m3	Not available	Not available
		EU	1210mg/m3	Not available	Not available	Not available

### 8.2 Exposure controls

**Control procedures:** Ensure adequate ventilation  
Keep away from heat sources and ignition sources  
Take precautions against static discharges

**Personal protection:** Take precautions to avoid contact with eyes and skin when handling the products  
Ensure adequate ventilation

**Inhalation:** In case of insufficient ventilation, wear suitable respiratory equipment:  
Air purifying respirator with organic gas/vapour cartridge (type A)

**Hands and skin:** Wear suitable gloves against chemicals; recommended gloves:  
Nitrile

**Eyes:** Wear safety goggles or full-face protection



**Micro to Nano**

Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)

**Product name:** EM-Tec STC39 Acetone solvent / thinner / cleaner  
**Document Nr.:** SDS0015001160-01

**Date:** January 11th 2022  
**Version:** 2.0

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance/physical state:</b>	Liquid
<b>Colour:</b>	colourless
<b>Odour:</b>	Aromatic / sweet / fruity odour
<b>pH</b>	7
<b>Boiling point/range:</b>	56°C
<b>Flash point:</b>	-18°C (closed cup)
<b>Relative evaporation rate:</b>	6
<b>Explosion limits: upper limit:</b>	13%
<b>lower limit:</b>	2%
<b>Vapour pressure:</b>	247 hPa
<b>Relative density:</b>	0.79 g/cm <sup>3</sup> @ 20°C
<b>Solubility in water:</b>	soluble
<b>Auto-ignition:</b>	465°C
<b>Viscosity:</b>	0.00033 Pa.s

### 9.2 Other information

**VOC:** 100% Acetone

## Section 10: Stability and reactivity

### 10.1. Reactivity

Violent to explosive reaction with many compounds. Reacts violently with oxidisers. Prolonged storage: on exposure to light: release of harmful gases / vapours.

### 10.2 Chemical stability

Unstable on exposure to light

### 10.3 Possibility of hazardous reactions

Not established

### 10.4 Conditions to avoid

Direct sunlight. Extremely high or low temperatures.



**Micro to Nano**

Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)

# Safety Data Sheet

Regulation EC Nr. 1907/2006 Art.31

**Product name:** EM-Tec STC39 Acetone solvent / thinner / cleaner  
**Document Nr.:** SDS0015001160-01

**Date:** January 11th 2022  
**Version:** 2.0

Avoid overheating, ignition sources and incompatible substances

## 10.5 Incompatible materials

Strong oxidising agents, strong bases, strong acids

## 10.6 Hazardous decomposition products

Fume, CO, CO<sub>2</sub>.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

Information on likely routes of exposure:

**Inhalation:** Inhalation of solvent vapours may give rise to nausea, headaches and dizziness  
**Skin contact:** Not classified  
**Eye contact:** Irritation to eyes

Toxicological data:

Ingredient	Toxicity	Irritation
Acetone	Dermal (rabbit) LD: 20000mg/l	Eye (human): 500ppm - irritant
	Inhalation (rat) LC50: 50.1mg/l/8h	Eye (rabbit): 20mg/24h - moderate
	Oral (rat) LD50: 5800 mg/kg	Skin (rabbit): 500mg/24hr - mild

## Section 12: Ecological information

### 12.1. Toxicity

Not classified

### 12.2 Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
acetone	LOW (Half-life = 14 days)	Medium (Half-life = 116.25 days)



**Micro to Nano**

Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)

# Safety Data Sheet

Regulation EC Nr. 1907/2006 Art.31

**Product name:** EM-Tec STC39 Acetone solvent / thinner / cleaner  
**Document Nr.:** SDS0015001160-01

**Date:** January 11th 2022  
**Version:** 2.0

## 12.3 Bioaccumulative potential

Ingredient	Bioaccumulation
acetone	LOW (BCF = 0.69)

## 12.4 Mobility in soil

Ingredient	Bioaccumulation
acetone	HIGH (KOC = 1.981)

## 12.5 Results of PBT and vPvB assessment

No information available

## 12.6 Hazardous decomposition products

No experimental data available

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Product:** This material and its container must be disposed of in a safe way.  
Do not discharge into drains or the environment, dispose to an authorised waste collection point.

**National regulations:** Disposal should be in accordance with local, state or national legislation.

## Section 14: Transport information

Labels required:



**Micro to Nano**  
Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)

# Safety Data Sheet

Regulation EC Nr. 1907/2006 Art.31

**Product name:** EM-Tec STC39 Acetone solvent / thinner / cleaner  
**Document Nr.:** SDS0015001160-01

**Date:** January 11th 2022  
**Version:** 2.0

## 14.1. UN number

UN-number: 1090

## 14.2 UN proper shipping name

Proper shipping name: Acetone

## 14.3 Transport hazard class(es)

Class: 3  
ADR/RID-Classification code: F1

## 14.4 Packing group

Packing: II  
Limited Quantity 5L

## 14.5 Incompatible materials

ADR/RID- Environmentally hazardous: Not applicable  
IMDG-Marine pollutant: No relevant data  
IATA/ICAO-Environmentally hazardous: No relevant data

## 14.6 Special precautions for user

ADR/RID-Tunnel code: (D/E)  
IMDG-EMS: F-E, S-E  
IATA/ICAO-PAX: 353  
IATA/ICAO-CAO: 364  
IATA/ICAO-DGR: Y341

## 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code

Not applicable



**Micro to Nano**

Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)

**Product name:** EM-Tec STC39 Acetone solvent / thinner / cleaner  
**Document Nr.:** SDS0015001160-01

**Date:** January 11th 2022  
**Version:** 2.0

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

UN-number: 1090

### 15.2 Chemical safety assessment

No information available

## Section 16: Other information

### RoHS Directive Compliant

This product is fully compliant with the directive 2100/65/EU Annex II (RoHS). It does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's or PBDE's.

### WEEE

This product is not a piece of electrical or electronic equipment, and it therefore not governed by Directive 2002/96/EC on waste electrical and electronic equipment (WEEE)

### Abbreviations:

Asp. Tox	Aspiration hazard
Carc.	Carcinogenicity
Exp.	Exposure
Flam.	Flammable
GHS	Global Harmonised System of Classification of Labelling Chemicals
Irrit.	Irritant
LC50	Lethal Concentration 50%
LCLo	Lowest published lethal concentration
LD50	Lethal Dose 50%
N/A	Not applicable
N/E	Not estimated
PBT	Persistent Bioaccumulative and Toxic
WEL	Workplace Exposure Limit
Repr.	Reproductive toxicant
RoHS	Restriction of Hazardous Substance
SEM	Scanning Electron Microscope
STEL	Short-Term Exposure Limit
STOT	Specific Target Organ Toxicity
TCLo	Lowest published toxic concentration
vPvB	very Persistent and very Bioaccumulative
WEEE	Waste Electrical and Electronic Equipment



**Micro to Nano**

Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)

**Product name:** EM-Tec STC39 Acetone solvent / thinner / cleaner  
**Document Nr.:** SDS0015001160-01

**Date:** January 11th 2022  
**Version:** 2.0

## DSD / DPD label elements



## Full Text Risk and Hazard codes

H226 – Flammable liquid and vapour.  
H228 – Flammable solid  
H302 – Harmful if swallowed.  
H312 – Harmful in contact with skin.  
H314 – Causes severe skin burns and eye damage.  
H317 – May cause an allergic skin reaction.  
H332 – Harmful if inhaled.  
H334 – May cause allergy or asthma symptoms or breathing difficulties if inhaled  
H335 – May cause respiratory irritation.  
H340 – May cause genetic defects.  
H351 – Suspected of causing cancer.  
H360 – May damage fertility or the unborn child.  
H370 – Causes damages to organs.  
H371 – May cause damage to organs.  
H372 – Causes damage to organs through prolonged or repeated exposure.  
H400 – Very toxic to aquatic life.  
H410 – Very toxic to aquatic life with long lasting effects.  
H411 – Toxic to aquatic life with long lasting effects.  
H413 – May cause long lasting harmful effects to aquatic life.

R10 – Flammable.  
R20- Harmful by inhalation.  
R20/22 – Harmful by inhalation and if swallowed.  
R36 – Irritating to eyes.  
R37 – Irritating respiratory system.  
R38 – Irritating to skin.  
R52 – Harmful to aquatic organisms  
R63 – Possible risk of harm to the unborn child.  
R65 – Harmful – May cause long damage if swallowed  
R66 – Repeated exposure may cause skin dryness and cracking.  
R67 – Vapours may cause drowsiness and dizziness

## Safety advice:

S02 – Keep out of reach of children.  
S09 – Keep container in a well-ventilated place.  
S13 – Keep away from food, drinks, and animal feeding stuff.



**Micro to Nano**

Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)

**Product name:** EM-Tec STC39 Acetone solvent / thinner / cleaner  
**Document Nr.:** SDS0015001160-01

**Date:** January 11th 2022  
**Version:** 2.0

- S16 – Keep away from sources of ignition. No smoking.
- S23 – Do not breath gas/fumes/vapour/spray.
- S26 – In case of contact with eyes, rinse with plenty of water and seek medical help.
- S281 – After contact with skin, wash immediately with detergent and plenty of waterways.
- S29 – Do not empty in drains.
- S33 – Take precautionary measures against static discharges.
- S35 – This material and its container must be disposed of in a safe way.
- S36 – Wear suitable protective clothing.
- S37 – Wear suitable gloves.
- S38 – In case of insufficient ventilation, wear suitable respiratory equipment.
- S39 - Wear eye / face protection.
- S40 – In case of insufficient ventilation, wear suitable respiratory equipment.
- S41 – In case of fire and/or explosion; DO NOT breathe fumes.
- S43 – In case of fire use....
- S45 – In case of accident or if you feel unwell, immediately contact Doctor or Poisons information center (show label if possible).
- S46 – If swallowed, seek immediate medical advice and show label if possible.
- S52 – Not recommended for interior use on large surfaces.
- S53 – Avoid exposure – obtain special instructions before use.
- S56 – Dispose of this material and its container at hazardous or special waste collection point.
- S57 – Use appropriate container to avoid environment contamination.
- S61 – Avoid release to the environment
- S63 – In case of accident by inhalation, remove casualty to fresh air and keep at rest.
- S64 – If swallowed, rinse mouth with water (only if person is conscious)

This product should be stored, handled, and used in accordance with good industrial hygiene practices and in accordance with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe the product from the point of view of safety requirements. It does not guarantee any specific properties.

It is the responsibility of the user to query and verify any information seeming suspect or where doubt on the validity may exist. The buyer assumes all responsibility of using and handling the product in accordance with local, state, federal and international regulations.



**Micro to Nano**

Innovative Microscopy Supplies

Tappersweg 91  
2031ET Haarlem  
The Netherlands

T +31-85-2013155  
E [info@microtonano.com](mailto:info@microtonano.com)  
I [www.microtonano.com](http://www.microtonano.com)