

Product name: Micro-Tec CCG8 conductive silver grease
Document Nr.: SDS0064001018-01

Date: March 31st 2022
Version: 1.0

Section 1: Identification of the substance or mixture and the company

1.1. Product Identifier

Micro-Tec CCG8 conductive carbon grease

1.2 Relevant identified uses of the substance or mixture and uses advised against

Against electrostatic charge, lubricating and sealing of vacuum feedthroughs

Avoid extreme uses that could result in aerosolisation

1.3. Details of the supplier of the Safety Data Sheet

Vof Micro to Nano
Tappersweg 91
2031ET Haarlem
Netherlands
Tel: +31(0)85-2013155
E: info@microtonano.com

1.4 Emergency telephone number

112 (NLD) or your national emergency telephone number for chemical spills, leaks, fires, exposures or accidents

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Physical:	Not applicable
Health:	Not applicable
Environment:	Not applicable
Other hazards:	Not applicable

Classification according to Regulation EC Nr. 1272/2008

Not classified as hazardous



Micro to Nano
Innovative Microscopy Supplies

Tappersweg 91
2031ET Haarlem
The Netherlands

T +31-85-2013155
E info@microtonano.com
I www.microtonano.com

Product name: Micro-Tec CCG8 conductive silver grease
Document Nr.: SDS0064001018-01

Date: March 31st 2022
Version: 1.0

2.2 Labeling elements

Labelling accordance to Regulation EC Nr. 1272/2008

Hazard pictogramm(s): Not applicable

Signal word: Not applicable

Hazard statement(s): Not applicable

Precautionary statement(s)

Prevention: P 273: Avoid release to the environment

Response: P305+P351+P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical attention
P370+P378: In case of fire: Use alcohol resistant foam or protein foam for extinction
P391: collect spillage

Storage:

Disposal: P501: Dispose of contents/container in accordance to local/regional/national/international regulations

Supplemental hazard info: None

2.3 Other hazards

Not applicable.

REACH – Art. 57-59 The mixture does not contain Substance of Very High Concern (SVHC) at the SDS print date.

Section 3: Composition / information on components

3.1. Substances

Not applicable



Micro to Nano

Innovative Microscopy Supplies

Tappersweg 91
2031ET Haarlem
The Netherlands

T +31-85-2013155
E info@microtonano.com
I www.microtonano.com

Product name: Micro-Tec CCG8 conductive silver grease
Document Nr.: SDS0064001018-01

Date: March 31st 2022
Version: 1.0

3.2 Mixtures

1. CAS Nr 2. EC Nr 3. Index Nr 4. REACH No	% (weight)	Name	Classification according to directive 67/548/EEC [DSD]	Classification according to regulation Nr 1272/2008 [CLP]
63148-62-9 not available not available not available	80	Polyimethylsiloxane		Not applicable
1333-86-4 215-609-9 422-130-0 not available 01-2119384822-32-xxxx	20	Carbon black bound in grease matrix. Not in respirable form		Not applicable

(* Explanation notes: see section 16)

Section 4: First aid measures

4.1. Description of first aid measures

Contact with eyes: Rinse cautiously with water for several minutes. If possible, remove contact lenses. Continue rinsing.
Seek medical attention if irritation persists.

Contact with skin: Wash with water and soap.

Inhalation: Fresh air, keep warm and at rest.

Ingestion: If swallowed, do not induce vomiting
Get medical advice/attention if feeling unwell

4.2. Important symptoms and effects, either immediate or delayed

Inhalation: None known or expected

Ingestion: None known or expected

Skin contact: None known or expected

Eye contact: Mild irritation, mechanical irritation

4.3. Indication of any immediate medical attention and special treatment

General advise: If you feel unwell, seek medical advice; show product label if possible
If symptoms persist, always call a doctor



Micro to Nano

Innovative Microscopy Supplies

Tappersweg 91
2031ET Haarlem
The Netherlands

T +31-85-2013155
E info@microtonano.com
I www.microtonano.com

Product name: Micro-Tec CCG8 conductive silver grease
Document Nr.: SDS0064001018-01

Date: March 31st 2022
Version: 1.0

Section 5: Firefighting Measures

5.1. Extinguishing media

Use dry chemical, carbon dioxide, sand or other inerts to extinguish

5.2 Special hazards arising from the substance or mixture

Carbon oxides (CO, CO₂), SiO₂ and formaldehyde

5.3 Advice to firefighters

Wear self-contained breathing apparatus for fire fighting

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation
Wear suitable protective clothing including eye/face protection

6.2 Environmental precautions

Avoid release to the environment
Do not allow to enter public sewers and waterways

6.3 Methods and material for containment and clean up

Collect spillage, absorbed spillage and wipes in a suitable waste container
Wash spill area with soap and water to remove last traces of residue

6.4 Reference to other sections

For further information see section 8



Micro to Nano
Innovative Microscopy Supplies

Tappersweg 91
2031ET Haarlem
The Netherlands

T +31-85-2013155
E info@microtonano.com
I www.microtonano.com

Product name: Micro-Tec CCG8 conductive silver grease
Document Nr.: SDS0064001018-01

Date: March 31st 2022
Version: 1.0

Section 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation
Avoid contact with skin and eyes
Wash thoroughly after use
Wear protective gloves/protective clothing/eye protection/face protection

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed, in a cool, well-ventilated place
Keep away from acids, hydrogen peroxide, ammonia, nitrates, chlorine bleaches etc.
Keep out of reach of children

7.3 Specific end uses(s)

Against electro-static charge
Lubricating for moving parts
Vacuum sealant for moving parts and feedthroughs

Section 8: Exposure control and personal protection

8.1. Control parameters

Exposure limits

Occupational exposure limits (OEL)

Ingredient	Material Name	Source	TWA	STEL	Peak	Notes
Polydimethylsiloxane	Polydimethylsiloxane	UK	Not available	Not available	Not available	Not available
Carbon black	Carbon black	UK	3.5mg/m ³	7mg/m ³	Not available	Not available

8.2 Exposure controls

Control procedures: Ensure adequate ventilation
Personal protection: Take precautions to avoid contact with eyes and skin when handling the products
Ensure adequate ventilation
Inhalation: If exposed to mist, wear oil resistant or oil proof particulate respirators
Hands and skin: Wear suitable gloves against chemicals; recommended gloves:



Micro to Nano

Innovative Microscopy Supplies

Tappersweg 91
2031ET Haarlem
The Netherlands

T +31-85-2013155
E info@microtonano.com
I www.microtonano.com

Product name: Micro-Tec CCG8 conductive silver grease
Document Nr.: SDS0064001018-01

Date: March 31st 2022
Version: 1.0

Eyes: Nitrile
Wear safety goggles or full-face protection

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance/physical state:	Liquid/paste
Colour:	Black
Odour:	None
pH	not applicable
Boiling point/range:	>200°C
Flash point:	>300°C
Evaporation rate:	<1
Explosion limits: upper limit:	Not available
lower limit:	Not available
Vapour pressure:	0.13 Kpa
Relative density:	1.1 g/cm ³ @ 20°C
Solubility in water:	Insoluble
Auto-ignition:	Not available
Viscosity:	570000 cSt

9.2 Other information

Not available

Section 10: Stability and reactivity

10.1. Reactivity

Reacts with acids to form flammable hydrogen gas
Reacts violently with hydrogen peroxides to form oxygen gas
Reaction with ammonia may form explosives compounds when dry
Reacts with acetylene to form shock-sensitive compounds

10.2 Chemical stability

Stable at normal temperatures and pressures

10.3 Possibility of hazardous reactions



Micro to Nano
Innovative Microscopy Supplies

Tappersweg 91
2031ET Haarlem
The Netherlands

T +31-85-2013155
E info@microtonano.com
I www.microtonano.com

Product name: Micro-Tec CCG8 conductive silver grease
Document Nr.: SDS0064001018-01

Date: March 31st 2022
Version: 1.0

No hazardous reactions known if used for its intended purposes

10.4 Conditions to avoid

Excessive heat and incompatible substances

10.5 Incompatible materials

Strong oxidising agents, strong acids, strong bases, ammonia, acetylene, hydrogen peroxide

10.6 Hazardous decomposition products

Will not decompose under normal conditions. Thermal decomposition products are Carbon oxides (CO, CO₂), SiO₂ and formaldehyde

Section 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure:

Inhalation: No known significant effects
Skin contact: No known significant effects
Eye contact: May cause mild eye irritation, redness

Toxicological data:

Ingredient	Toxicity	Irritation
Dimethylpolysiloxane	Dermal (rabbit) LD: >3000mg/kg	Eye (rabbit): 100mg/1h - mild
	Oral (rat) LD50: >35000 mg/kg	
Carbon black	Dermal (rabbit) LD50: >3000mg/kg	Eye: no adverse effects observed
	Oral (rat) LD50: >8000 mg/kg	Skin: no adverse effects observed
Micro-Tec CCG8 conductive carbon grease	Not available	Not available



Micro to Nano
Innovative Microscopy Supplies

Tappersweg 91
2031ET Haarlem
The Netherlands

T +31-85-2013155
E info@microtonano.com
I www.microtonano.com

Product name: Micro-Tec CCG8 conductive silver grease
Document Nr.: SDS0064001018-01

Date: March 31st 2022
Version: 1.0

Section 12: Ecological information

12.1. Toxicity

No information available

12.2 Persistence and degradability

No information available

12.3 Bioaccumulative potential

No information available

12.4 Mobility in soil

Insoluble in water

12.5 Results of PBT and vPvB assessment

No information available

12.6 Hazardous decomposition products

No experimental data available

Section 13: Disposal considerations

13.1. Waste treatment methods

- Product:** This material and its container must be disposed of in a safe way. Containers may still present a chemical hazard when empty. Do not discharge into drains or the environment, dispose to an authorised waste collection point.
- National regulations:** Disposal should be in accordance with local, state or national legislation.



Micro to Nano
Innovative Microscopy Supplies

Tappersweg 91
2031ET Haarlem
The Netherlands

T +31-85-2013155
E info@microtonano.com
I www.microtonano.com

Product name: Micro-Tec CCG8 conductive silver grease
Document Nr.: SDS0064001018-01

Date: March 31st 2022
Version: 1.0

Section 14: Transport information

14.1. UN number

UN-number: Not applicable

14.2 UN proper shipping name

Proper shipping name: Not applicable

14.3 Transport hazard class(es)

Class: Not applicable
ADR/RID-Classification code: Not applicable

14.4 Packing group

Packing: Not applicable

14.5 Incompatible materials

ADR/RID- Environmentally hazardous: Not applicable
IMDG-Marine pollutant: Not applicable
IATA/ICAO-Environmentally hazardous: No relevant data

14.6 Special precautions for user

No further information available

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code

Not applicable

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

UN-number: Not applicable



Micro to Nano
Innovative Microscopy Supplies

Tappersweg 91
2031ET Haarlem
The Netherlands

T +31-85-2013155
E info@microtonano.com
I www.microtonano.com

Product name: Micro-Tec CCG8 conductive silver grease
Document Nr.: SDS0064001018-01

Date: March 31st 2022
Version: 1.0

15.2 Chemical safety assessment

No information available

Section 16: Other information

RoHS Directive Compliant

This product is fully compliant with the directive 2100/65/EU Annex II (RoHS). It does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's or PBDE's.

WEEE

This product is not a piece of electrical or electronic equipment, and it therefore not governed by Directive 2002/96/EC on waste electrical and electronic equipment (WEEE)

Abbreviations:

Asp. Tox	Aspiration hazard
Carc.	Carcinogenicity
Exp.	Exposure
Flam.	Flammable
GHS	Global Harmonised System of Classification of Labelling Chemicals
Irrit.	Irritant
LC50	Lethal Concentration 50%
LCLo	Lowest published lethal concentration
LD50	Lethal Dose 50%
N/A	Not applicable
N/E	Not estimated
PBT	Persistent Bioaccumulative and Toxic
WEL	Workplace Exposure Limit
Repr.	Reproductive toxicant
RoHS	Restriction of Hazardous Substance
SEM	Scanning Electron Microscope
STEL	Short-Term Exposure Limit
STOT	Specific Target Organ Toxicity
TCLo	Lowest published toxic concentration
vPvB	very Persistent and very Bioaccumulative
WEEE	Waste Electrical and Electronic Equipment

DSD / DPD label elements

Not applicable



Micro to Nano

Innovative Microscopy Supplies

Tappersweg 91
2031ET Haarlem
The Netherlands

T +31-85-2013155
E info@microtonano.com
I www.microtonano.com

Product name: Micro-Tec CCG8 conductive silver grease
Document Nr.: SDS0064001018-01

Date: March 31st 2022
Version: 1.0

This product should be stored, handled and used in accordance with good industrial hygiene practices and in accordance with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe the product from the point of view of safety requirements. It does not guarantee any specific properties.

It is the responsibility of the user to query and verify any information seeming suspect or where doubt on the validity may exist. The buyer assumes all responsibility of using and handling the product in accordance with local, state, federal and international regulations.



Micro to Nano

Innovative Microscopy Supplies

Tappersweg 91
2031ET Haarlem
The Netherlands

T +31-85-2013155
E info@microtonano.com
I www.microtonano.com